

L Number	Hits	Search Text	DB	Time stamp
-	3137	370/401.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/17 09:07
-	522	370/402.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/17 09:03
-	261	370/403.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/17 09:03
-	180	370/404.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/17 13:45
-	93	340/3.5.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/17 13:45
-	429	340/5.72.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 07:27
-	44	gateway\$2 same enabl\$4 same ( (packets or data\$2 or frame\$2) same ( (ID or code\$2 ) same (period\$2 or duration\$2 or length\$2)) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 12:50
-	42	((path\$2 with enabl\$4) same ( (ID or code\$2 ) with (detect\$4 or verification\$2 ) ) same (period\$2 or duration\$2 or length\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/17 15:02
-	120	((path\$2 or connection\$2) with enabl\$4) same ( (ID or code\$2 or address\$2 ) with (match\$3 or detect\$4 or verification\$2 ) ) same (period\$2 or duration\$2 or length\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/17 15:09
-	26	((path\$2 or connection\$2) with enabl\$4) same ( (ID or code\$2 or address\$2 ) with (match\$3 or detect\$4 or verification\$2 ) ) same (period\$2 or duration\$2 or length\$2) and 370.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/17 15:04
-	367	((path\$2 or rout\$3) with (enabl\$4 or connect\$4 ) ) same ( (ID or code\$2 or address\$2 ) with (match\$3 or detect\$4 or verification\$2 ) ) same (period or duration or length)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/17 15:11
-	86	((path\$2 or rout\$3) with (enabl\$4 or connect\$4 ) ) same ( (ID or code\$2 or address\$2 ) with (match\$3 or detect\$4 or verification\$2 ) ) same (period or duration or length) and 370.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/17 15:27
-	21	((path\$2 or rout\$3) with (enabl\$4 or connect\$4 ) ) same ( (ID or code\$2 or address\$2 ) with (match\$3 or detect\$4 or verification\$2 ) ) same (period or duration or length) and 340.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/17 15:28

-	40	((path\$2 or rout\$3) with (enabl\$4 or connect\$4 )) same ( (ID or code\$2 or address\$2 ) with (match\$3 or verif\$5 ) ) same (period or duration ) and 370.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/17 15:31
-	61	((path\$2 or rout\$3) with (enabl\$4 or connect\$4 )) same ( (ID or code\$2 or address\$2 ) with (match\$3 or verif\$5 ) ) same (period or duration ) and network\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/17 15:37
-	38	((path\$2 or rout\$3) with (enabl\$4 or connect\$4 )) same ( (ID or code\$2 or address\$2 ) with (match\$3 or verif\$5 ) ) same (period or duration ) same network\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/17 15:40
-	28	((path\$2 or rout\$3) with (enabl\$4 or connect\$4 )) same ( (ID or code\$2 or address\$2 ) with (match\$3 or verif\$5 ) ) same (period or duration ) and (predetermined adj2 (period\$2 or duration\$2) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/17 15:41
-	35226	(packets or data\$2 or frame\$2) with ((ID or code\$2 or address\$2) ) and (predetermined adj2 (period\$2 or duration\$2) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 07:41
-	166	370/401-404.ccls. and (((packets or data\$2 or frame\$2)) same (predetermined adj2 period\$2 ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 07:30
-	170	370/401-404.ccls. and (((packets or data\$2 or frame\$2)) same (predetermined adj2 (period\$2 or duration\$2) ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 07:31
-	45	370/401-404.ccls. and (((packets or data\$2 or frame\$2)) same ((predetermined adj2 (period\$2 or duration\$2) ) with transmi\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 07:31
-	4202	(packets or data\$2 or frame\$2) with ((ID or code\$2 ) with (detect\$4 )) and (predetermined adj2 (period\$2 or duration\$2) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 07:44
-	15	370/401-404.ccls. and (packets or data\$2 or frame\$2) with ((ID or code\$2 ) with (detect\$4 )) and (predetermined adj2 (period\$2 or duration\$2) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 07:43
-	229	(packets or data\$2 or frame\$2) with ((ID or code\$2 ) with (detect\$4 )) and (predetermined adj2 (period\$2 or duration\$2) ) same network\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 07:45
-	119	packets same (ID or (identification adj code\$2)) same transmiT\$3 same receiv\$3 same period\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 07:45
-	366	((packets or data\$2 or frame\$2) near2 (ID or (identification ))) same (predetermined adj2 period\$2 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 07:46
-	32	(packets or data\$2 ) with ((ID or code\$2 ) with (detect\$4 )) same (predetermined adj2 period\$2 ) and 370.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 08:00

-	112355	(packets or data\$2 or frame\$2) same ((ID or code\$2 or address\$2 ) with (detect\$4 or match\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 08:01
-	815	370/401-404.ccls. and (packets or data\$2 or frame\$2) same ((ID or code\$2 or address\$2 ) with (detect\$4 or match\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 08:01
-	380	370/401-404.ccls. and (packets or data\$2 or frame\$2) same ((ID or code\$2 or address\$2 ) with (detect\$4 or match\$3)) same network\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 08:01
-	2	("6182171" "20010042137" ) .pn.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/11/18 08:52
-	473	(packets or data\$2 or frame\$2 or token\$2) same (field\$2 with ((ID or code\$2 or address\$2) and length) with (detect\$4 or verification\$2 or match\$3 ))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/11/18 12:51
-	104	(packets or data\$2 or frame\$2 or token\$2) same (field\$2 with ((ID or code\$2 or address\$2) and length) with (detect\$4 or verification\$2 or match\$3 )) and 370.clas.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/11/18 08:52
-	7580	(packets or frame\$2) same ((transmi\$6 ) near2 (period\$2 or duration\$2 or length\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 09:58
-	5112	(packets or frame\$2) with ((transmi\$6 ) near2 (period\$2 or duration\$2 or length\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 09:59
-	81	370/401-404.ccls. and ( (packets or frame\$2) with ((transmi\$6 ) near2 (period\$2 or duration\$2 or length\$2)) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 10:00
-	10	370/401-404.ccls. and ( (packets or frame\$2) with ((transmi\$6 ) near2 (period\$2 or duration\$2 or length\$2) with predetermined) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 10:08
-	8	370/401-404.ccls. and ( (packets or frame\$2) with ((transmi\$6 ) near2 (period\$2 or duration\$2 or length\$2) near3 predetermined) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 10:08
-	284	( (packets or frame\$2) with ((transmi\$6 ) near2 (period\$2 or duration\$2 or length\$2) near3 predetermined) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 11:55
-	8	370/401-404.ccls. and ( (packets or frame\$2) with ((transmi\$6 ) near2 (period\$2 or duration\$2 or length\$2) near3 predetermined) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 11:55
-	103	(gateway\$2 or bridge\$2 or router\$2) same enabl\$4 same ( (packets or data\$2 or frame\$2) same ((ID or code\$2 ) same (period\$2 or duration\$2 or length\$2)) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 12:59

-	2120	(gateway\$2 or bridge\$2 or router\$2) same ((packets or data\$2 or frame\$2 or token\$2) same ((ID or code\$2 or address\$2) with (detect\$4 or verification\$2 or match\$3 )) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 12:59
-	839	(gateway\$2 or bridge\$2 or router\$2) same ((packets or data\$2 or frame\$2 or token\$2) same ((ID or code\$2 or address\$2) with (detect\$4 or verification\$2 or match\$3 )) ) and 370.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 13:01
-	74724	(packets or data\$2 or frame\$2 ) same ((ID or code\$2 or address\$2) with (compar\$5 or match\$3 ))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/11/18 13:00
-	740	(gateway\$2 or bridge\$2 or router\$2) same ((packets or data\$2 or frame\$2 ) same ((ID or code\$2 or address\$2) with (compar\$5 or match\$3 )) ) and 370.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 13:02
-	300	(gateway\$2 or bridge\$2 or router\$2) same ((packets or data\$2 or frame\$2 ) same ((ID or code\$2 or address\$2) with (compar\$5 or match\$3 )) ) and 370/401-404.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 13:02
-	202	(gateway\$2 or router\$2) same ((packets or data\$2 or frame\$2 ) same ((ID or code\$2 or address\$2) with (compar\$5 or match\$3 )) ) and 370/401-404.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 13:02
-	81	(gateway\$2 ) same ((packets or data\$2 or frame\$2 ) same ((ID or code\$2 or address\$2) with (compar\$5 or match\$3 )) ) and 370/401-404.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 14:25
-	355	(gateway\$2 ) same ((table\$2 or database\$2 ) same ((ID or code\$2 or address\$2) with (compar\$5 or match\$3 )) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 14:26
-	62	(gateway\$2 ) same ((table\$2 or database\$2 ) same ((ID or code\$2 or address\$2) with (compar\$5 or match\$3 )) ) and 370/401-404.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 14:26
-	51	(gateway\$2 ) same ((table\$2 or database\$2 ) same ((length\$2 or address\$2) with (filed or head\$3)) ) and 370/401-404.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 14:27
-	2	(gateway\$2 ) same ((table\$2 or database\$2 ) same ((length\$2 and address\$2) with (filed or head\$3)) ) and 370/401-404.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/18 14:27